



LCD Display CNG Dispenser 15L/Min-25L/Min Flow Rate Gas Dispenser Pump

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Virette
- Delivery Time: 20 - 30 days



Product Specification

- Flow Rate: 15-25L/min
- Working Pressure: 20MPa
- Accuracy: $\pm 0.5\%$
- Communication Interface: RS485/RS232
- Power Supply: AC 220V/50Hz
- Humidity Range: $\leq 95\%$
- Display: LCD
- Hose Length: 4m
- Highlight: **cng dispenser 15l, cng dispenser 15l/min, 15l gas dispenser pump**

For more products please visit us on refueling-equipment.com

Product Description

LCD Display CNG Dispenser with 15-25L/min Flow Rate

Product Description:

The CD-100 CNG Gas Dispenser features a robust construction and is built to withstand the demands of high-volume refueling operations. It is equipped with a range of safety features, including automatic shut-off valves and pressure relief valves, to ensure that fueling operations are safe and reliable. The dispenser also has a built-in humidity sensor to monitor the humidity range, which is rated at $\leq 95\%$.

The CD-100 CNG Gas Dispenser is easy to operate and maintain, with a user-friendly interface that allows for easy monitoring of fueling operations. It is also designed to be compatible with a range of communication interfaces, including RS485 and RS232, making it easy to integrate with other systems and equipment.

Overall, the CD-100 CNG Gas Dispenser is a reliable and efficient solution for CNG fueling stations. With its high flow rate, advanced safety features, and user-friendly interface, it is the perfect choice for any business or organization that wants to take advantage of the benefits of CNG as a fuel source.

Features:

Product Name: CNG Gas Dispenser

Flow Rate: 15-25L/min

Accuracy: $\pm 0.5\%$

Unit Price Range: 0.01-99.99

Temperature Range: -25 To +55

Model: CD-100

This CNG Gas Dispenser is a reliable and accurate fueling equipment designed for CNG filling station dispensers. It has a flow rate of 15-25L/min and an accuracy of $\pm 0.5\%$. The unit price range is between 0.01-99.99 and it can operate in temperature ranges from -25 to +55. It is the perfect CNG fuel dispenser for any CNG fueling equipment needs.

Technical Parameters:

Technical Parameter	Value
Model	CD-100
Accuracy	$\pm 0.5\%$
Working Pressure	20MPa
Flow Rate	15-25L/min
Power Supply	AC 220V/50Hz
Display	LCD
Temperature Range	-25 To +55
Humidity Range	$\leq 95\%$
Unit Price Range	0.01-99.99
Total Price Range	0.01-999999.99

Applications:

The CD-100 CNG Gas Dispenser from Virette can be used in a variety of natural gas fuel pump settings. For instance, it can be used in gas stations that offer natural gas as a fuel option for vehicles. This product is designed to provide efficient and safe fueling for vehicles that run on compressed natural gas. It is equipped with a single or dual nozzle, making it compatible with different types of vehicles.

The Virette CNG Gas Dispenser is also perfect for industrial settings where compressed natural gas is used as a fuel source. It can be used to fuel forklifts, buses, and other vehicles used in warehouses and factories. This product is designed to withstand harsh industrial environments, making it a reliable and long-lasting investment for businesses.

Furthermore, the Virette CNG Gas Dispenser is ideal for public transportation systems, such as bus stations and taxi stands. This product is capable of dispensing natural gas at a flow rate of 15-25L/min, making it easy to quickly fuel up vehicles and keep public transportation running smoothly.

The CD-100 CNG Gas Dispenser from Virette is designed to operate on AC 220V/50Hz power supply. It is also designed to function in humid environments, with a humidity range of $\leq 95\%$. This product is an excellent investment for businesses and organizations that rely on natural gas fuel pump technology.

Customization:

Delivery time for our customized CNG Gas Dispenser is between 20-30 days. Contact us to discuss your specific requirements and to receive a personalized quote.

Packing and Shipping:

Product Packaging:

1 CNG Gas Dispenser unit

1 User Manual

1 Warranty Card

Shipping:

Shipping Method: Standard Ground Shipping

Shipping Time: 3-5 business days

Shipping Cost: \$50



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China